PHYTOCHEMISTRY

THE INTERNATIONAL JOURNAL

OF PLANT BIOCHEMISTRY

Editor-in-Chief
J. B. HARBORNE

Associate Editor (North America)
N. G. LEWIS

Executive Editor
T. A. SMITH

Volume 33 Contents, Author Index and
Subject Index 1993

PERGAMON PRESS

OXFORD · NEW YORK · SEOUL · TOKYO

PHYTOCHEMISTRY

The International Journal of Plant Biochemistry

Editor-in-Chief

J. B. HARBORNE: Plant Science Laboratories, The University, Whiteknights, Reading, RG6 2AS, Berks., U.K.

Associate Editor (North America)

N. G. LEWIS: Institute of Biological Chemistry, Washington State University, Pullman, WA 99164-6340, U.S.A.

Executive Editor

T. A. SMITH: Long Ashton Research Station, Bristol, BS18 9AF, U.K.

Associate Editors

L. J. GOAD: Dept. of Biochemistry, Liverpool University, Liverpool, L69 3BX, U.K.

P. J. HOLLOWAY: Long Ashton Research Station, Bristol, BS18 9AF, U.K.

P. J. LEA (Review Editor): Division of Biological Science, University of Lancaster, Lancaster, LA1 4YQ, U.K.

D. R. THRELFALL: Dept. of Applied Biology, School of Life Sciences, University of Hull, Hull, HU6 7RX, U.K.

C. A. WILLIAMS: Plant Science Laboratories, The University, Whiteknights, Reading, RG6 2AS, Berks., U.K.

Production Editors

J. D. HOWATSON, Z. H. WILCOCK: Journals Production Dept., Pergamon Press Ltd, Headington Hill Hall, Oxford, OX3 0BW, U.K.

EDITORIAL BOARD—1993

Y. Asakawa:	Faculty of Pharmaceutical Sciences, Tokushima Bunri University, Yameshiro-cho, 770 Tokushima, Japan.
E. A. Bell:	Dept. of Biochemistry, King's College, Strand, London WC2R 2LS, U.K.
E. G. Brown:	Dept. of Biochemistry, University College of Swansea, Singleton Park, SA2 8PP, U.K.
E. E. Conn:	Dept. of Biochemistry and Biophysics, University of California, Davis, CA 95616, U.S.A.
G. Cordell:	Program for Collaborative Research in the Pharmaceutical Sciences, College of Pharmacy, University of Illinois at Chicago, IL 60612, U.S.A.
R. Croteau:	Institute of Biological Chemistry, Washington State University, Pullman, WA 99164-6340, U.S.A.
V. De Luca:	Dept. de sciences biologiques, Institut de recherche en biologie vegetale, Universite de Montreal, 4101 est rue Sherbrooke, Montreal, Quebec, Canada H1X 2B2.
B. Ellis:	Dept. of Plant Science, University of British Columbia, 2357 Main Hall, Vancouver, B.C. Canada V6T 1Z4.
N. H. Fischer:	Dept. of Chemistry, Louisiana State University, Baton Rouge, LA 70803, U.S.A.
L. Fowden:	Rothamsted Experimental Station, Harpenden, Herts., U.K.
T. W. Goodwin:	Dept. of Biochemistry, University of Liverpool, Liverpool, L69 3BX, U.K.
O. R. Gottlieb:	Instituto de Quimica, Universidade de São Paulo, C.P. 20780, São Paulo 01498, Brazil.
J. L. Harwood:	Dept. of Biochemistry, University of Wales, P.O. Box 903, Cardiff CF1 1ST, U.K.
V. Herout:	Dept. of Natural Products, Inst. Organic Chemistry, Flemingovo N2, Praha 6, Czechoslovakia.
W. Herz:	Dept. of Chemistry, The Florida State University, Tallahassee, FL 32306, U.S.A.
K. Hostettmann:	Institut de Pharmacognosie et Phytochemie, B.E.P., 1015 Dorigny-Lausanne, Switzerland.
M. Luckner:	Sektion Pharmazie, Universität Halle (Saale), Germany.
T. J. Mabry:	Dept. of Botany, University of Texas at Austin, TX 78712, U.S.A.
P. Mazliak:	Lab. de Physiologie Cellulaire, Université Pierre et Marie Curie, 75005 Paris, France.
B. V. Milborrow:	School of Biochemistry, University of N.S.W., P.O. Box 1, Kensington, NSW 2033, Australia.
J. D. Phillipson:	School of Pharmacy, University of London, 29/39 Brunswick Square, London WC1N 1AX, U.K.
J. E. Poulton:	Dept. of Botany, University of Iowa, Iowa City, IA 52242, U.S.A.
T. ap Rees:	Botany School, University of Cambridge, Downing Street, Cambridge CB2 3EA, U.K.
J. Tempe:	Institut des Sciences Végétales, CNRS, 91198-Gif sur Yvette and Institut National Agronomique Paris-Grignon, 75231-Paris, France.
G. H. N. Towers:	Dept. of Plant Science, University of British Columbia, 2357 Main Hall, Vancouver, B.C., Canada V6T 1Z4.
H. Wagner:	Inst. für Pharmazeutische Biologie, Karlstrasse 29, 8 München 2, Germany.
P. G. Waterman:	Phytochemistry Research Laboratories, Dept. of Pharmacy, University of Strathclyde, 204 George Street, Glasgow G1 1XW, U.K.
M. H. Zenk:	Inst. für Pharmazeutische Biologie, Karlstrasse 29, 8 München 2, Germany.

All manuscripts and contributions should be submitted to either J. B. HARBORNE at Reading or N. G. LEWIS at Pullman. Authors are earnestly requested to consult the latest 'Instructions to Authors', which are published in Vol. 32, No. 1 (copies of these instructions are available from the Reading office) and the 'Aims and Scope' of the journal (see inside back cover). Review articles are welcomed, but intending Authors should send an outline to P. J. LEA before preparing their manuscripts. Books for review should be sent to J. B. HARBORNE.

This journal has been designated an official organ of the 'The Phytochemical Society of Europe' and 'The Phytochemical Society of North America' and Society announcements will appear at regular intervals. Reduced subscription rates are available to members of both Societies (details available from Society offices).

Publishing and Advertising Offices: Headington Hill Hall, Oxford, OX3 0BW, U.K. *Annual Institutional Subscription Rate* (1993): £895.00 (US$1432.00). Published monthly plus additional issues in January, March, May, July, September and November (three volumes 1993). Sterling prices are definitive. US dollar prices are quoted for convenience only, and are subject to exchange rate fluctuation. Prices include postage and insurance and are subject to change without notice. Subscription rates for Japan include despatch by air and are available on request. Personal subscription rate for those whose library subscribes at the regular rate is available upon request from any Pergamon Office. Subscription enquiries from customers in North America should be sent to: Pergamon Press Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A., and for the remainder of the world to: Pergamon Press Ltd, Headington Hill Hall, Oxford, OX3 0BW, U.K. *Microform Back Issues:* Back issues of all previously published volumes, in both hard copy and on microform, are available direct from Pergamon Offices.

Second class postage paid at RAHWAY NJ and additional Mailing Offices. Postmaster send address corrections to *Phytochemistry*, c/o Pergamon Press Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A.

Copyright © 1993 Pergamon Press Ltd

CONTENTS OF VOLUME 33

Number 1

Announcement ix

Growth and Metabolism

Modulation of the maize plasma membrane H^+/NO_3^- symport carrier by NO_3^- — 1 — Qin Lu and D. P. Briskin

Threshold effect of caffeic acid on peroxidase-catalysed oxidation of indole-3-acetic acid — 9 — S. N. Krylov, S. M. Krylova and L. B. Rubin

Synthesis of *N*-ε-(indole-3-acetyl)-L-lysine — 13 — L. De Napoli, A. Evidente, G. Piccialli, C. Santacroce, N. S. Iacobellis and A. Sisto

Biological activity of some gibberellins and gibberellin derivatives in aleurone cells and protoplasts of *Avena fatua* — 17 — S. J. Smith, R. P. Walker, M. H. Beale and R. Hooley

Purification and partial characterization of trypsin/chymotrypsin inhibitors from cabbage foliage — 21 — R. M. Broadway

Generation of H_2O_2 during enzymic oxidation of catechin — 29 — Y. Jiang and P. W. Miles

Peptide hydrolases in cotyledons of germinating lupin — 35 — I. C. Duarte, C. P. P. Ricardo and M. C. Duque-Magalhães

Enzymic activity degrading 1,4-α-D-glucans to ascopyrones P and T in Pezizales and Tuberales — 41 — M.-A. Baute, G. Deffieux, J. Vercauteren, R. Baute and A. Badoc

Lipid and sterol changes in *Zea mays* caused by lead ions — 47 — K. Stefanov, I. Popova, E. Kamburova, T. Pancheva, G. Kimenov, L. Kuleva and S. Popov

Ecological Biochemistry

β-Cyano-L-alanine and *N*-(γ-L-glutamyl)-β-cyano-L-alanine, neurotoxic constituents of *Clitocybe acromelalga* — 53 — S. Fushiya, S. Sato, G. Kusano and S. Nozoe

Cold acclimation in cultivars of *Avena sativa* — 57 — M. Alberdi, L. J. Corcuera, C. Maldonado, M. Barrientos, J. Fernández and O. Henríquez

Chilling susceptibility of *Cucumis sativus* species — 61 — V. Sączyńska, J. Gemel and Z. Kaniuga

Seiricardines B and C, phytotoxic sesquiterpenes from three species of *Seiridium* pathogenic for cypress — 69 — A. Evidente, A. Motta and L. Sparapano

Oryzalexin E, a diterpene phytoalexin from UV-irradiated rice leaves — 79 — H. Kato, O. Kodama and T. Akatsuka

Molluscicidal and antifungal triterpenoid saponins from *Rapanea melanophloeos* leaves — 83 — K. Ohtani, S. Mavi and K. Hostettmann

Antimicrobial tetrahydroanthraquinones from a strain of *Alternaria solani* — 87 — A. Yagi, N. Okamura, H. Haraguchi, T. Abo and K. Hashimoto

Biosynthesis

Biosynthesis of β-(isoxazolin-5-on-2-yl)-L-alanine by cysteine synthase in *Lathyrus sativus* — 93 — F. Ikegami, G. Ongena, R. Sakai, S. Itagaki, M. Kobori, T. Ishikawa, Yu-Haey Kuo, F. Lambein and I. Murakoshi

Cell Culture and Biotechnology

Purification and characterization of strictosidine synthase from a suspension culture of *Cinchona robusta* — 99 — L. H. Stevens, C. Giroud, E. J. M. Pennings and R. Verpoorte

Formation of alliin in the culture tissues of *Allium sativum*. Oxidation of *S*-allyl-L-cysteine — 107 — C. Ohsumi, T. Hayashi and K. Sano

Sesquiterpenes and thiarubrines from *Ambrosia trifida* and its transformed roots — 113 — Tiansheng Lu, F. J. Parodi, D. Vargas, L. Quijano, E. R. Mertooetomo, M. A. Hjortso and N. H. Fischer

Chemotaxonomy

Composition of the essential oil of *Ledum groenlandicum* — 117 — F. Belleau and G. Collin

Variability in the composition of the essential oils of *Mintostachys andina* in central Bolivia — 123 — S. Muñoz-Collazos, J. Soriano-Ferrufino, G. J. Collin, F.-I. Jean and H. Deslauriers

Variability in xylem resin composition amongst natural populations of Indonesian *Pinus merkusii* — 129 — J. J. W. Coppen, C. Gay, D. J. James, J. M. Robinson and N. Supriana

Plant Chemistry

A quinol glucoside from *Abeliophyllum distichum* — 137 — H. Kuwajima, M. Takahashi, M. Ito, H. Wu, K. Takaishi and K. Inoue

Revised structure and stereochemistry of jatamansic acid — 141 — G. Rücker, S. K. Paknikar, R. Mayer, E. Breitmaier, G. Will and L. Wiehl

Taxanes from the needles of *Taxus wallichiana* — 145 — L. Barboni, P. Gariboldi, E. Torregiani, G. Appendino, B. Gabetta, G. Zini and E. Bombardelli

Triterpene esters from *Eucalyptus tereticornis* — 151 — Hongcheng Wang and Y. Fujimoto

Ecklonialactones-C–F from the brown alga *Ecklonia stolonifera* — 155 — K. Kurata, K. Taniguchi, K. Shiraishi and M. Suzuki

Two phenolic glucosides and an iridoid glucoside from *Alangium platanifolium* var. *trilobum* — 161 — A. Itoh, T. Tanahashi and N. Nagakura

Diprenylated derivatives of *p*-hydroxyacetophenone from *Ophryosporus macrodon* — 165 — E. Sigstad, C. A. N. Catalán, J. G. Díáz and W. Herz

Two phloroglucinol glucosides, flavan gallates and flavonol glycosides from *Sedum sediforme* flowers — 171 — M. Koray Sakar, F. Petereit and A. Nahrstedt

Feralolide, a dihydroisocoumarin from Cape aloe — 175 — G. Speranza, P. Manitto, P. Cassara' and D. Monti

Ampelopsins D, E, H and *cis*-ampelopsin E, oligostilbenes from *Ampelopsis brevipedunculata* var. *hancei* roots — 179 — Y. Oshima and Y. Ueno

Phenylpropanoid-substituted catechins from *Castanopsis hystrix* and structure revision of cinchonains — 183 — H.-F. Chen, T. Tanaka, G.-I. Nonaka, T. Fujioka and K. Mihashi

Lignans and lactones from *Phyllanthus anisolobus* — 189 — T. L. Bachmann, F. Ghia and K. B. G. Torssell

Lignan glucosides from *Bupleurum wenchuanense* — 193 — Si-Qi Luo, Long-Ze Lin and G. A. Cordell

Dimeric hydrolysable tannins from *Tamarix pakistanica* — 197 — T. Yoshida, A. H. F. Ahmed, M. U. Memon and T. Okuda

Seven phenolic compounds in the roots of *Sophora exigua* 203 M. Iinuma, J. Yokoyama, M. Ohyama, T. Tanaka, M. Mizuno and N. Ruangrungsi

Structure and biosynthesis of anthocyanins in flowers of *Campanula* 209 K. Brandt, T. Kondo, H. Aoki and T. Goto

C_{19} diterpene alkaloids from *Delphinium gueneri* 213 A. Ulubelen, A. H. Mericli, F. Mericli and R. Ilarslan

Crooksidine, an indole alkaloid from *Haplophyton crooksii* 217 M. A. Mroue, M. A. Ghuman and M. Alam

Short Reports

Two long chain compounds from *Achyranthes aspera* 221 T. N. Misra, R. S. Singh, H. S. Pandey, C. Prasad and B. P. Singh

A diathiacyclohexadiene polyyne alcohol from *Ambrosia chamissonis* 224 S. Ellis, F. Balza and G. H. N. Towers

A linear arabinan from a red wine 227 M. P. Belleville, P. Williams and J. M. Brillouet

A sesquiterpene polyester from *Euonymus tanakae* 230 K. Ueda, N. Matayoshi and I. Mori

Sesquiterpenoid from *Rehmannia glutinosa* roots 233 Y. Oshima, K. Tanaka and H. Hikino

β-Acoradienol, a sesquiterpene alcohol from *Neocallitropsis pancheri* 235 P. Rahariveloma nana, R. Faure, A. Cambon and M. Azzaro

Friedelane triterpenes from the stem bark of *Caloncoba glauca* 237 R. M. Giner, A. I. Gray, S. Gibbons and P. G. Waterman

Tuberosic acid, a pentacyclic triterpene from *Nephrolepsis tuberosa* 240 C. P. Dutta, J. Banerjee, G. Datta, U. K. Som, T. Eguchi, C. Murasaki, K. Kakinuma and Y. Fujimoto

A macrocyclic polyprenoid from *Alangium ridleyi* 243 Ang-Ser Ng, L. J. Harrison and Keng-Yeow Sim

An acylated cyanidin 3-sophoroside-5-glucoside in the violet-blue flowers of *Pharbitis nil* 245 N. Saito, T. S. Lu, M. Yokoi, A. Shigihara and T. Honda

Clausenalene, a carbazole alkaloid from *Clausena heptaphylla* 248 P. Bhattacharyya, G. K. Biswas, A. K. Barua, C. Saha, I. B. Roy and B. K. Chowdhury

Book Reviews

Nitrogen Metabolism of Plants: edited by K. Mengel and D. J. Pilbeam 251 T. A. Smith

The Alkaloids, Vol. 41: edited by A. Brossi and G. A. Cordell 251 J. B. Harborne

Herbivores, Their Interactions with Secondary Metabolites, 2nd edn, Vol. 2, Ecological and Evolutionary Processes: edited by G. A. Rosenthal and M. R. Berenbaum 252 J. B. Harborne

Number 2

Review Article Number 76

Floral scents—a checklist of volatile compounds isolated by head-space techniques 253 J. T. Knudsen, L. Tollsten and L. G. Bergström

Growth and Metabolism

Differentiation of tyrosinase and laccase using 4-hexylresorcinol, a tyrosinase inhibitor 281 R. M. Dawley and W. H. Flurkey

Effect of methyl jasmonate on ethylene biosynthesis and stomatal closure in olive leaves	285	L. C. Sanz, J. C. Fernández-Maculet, E. Gómez, B. Vioque and J. M. Olías
Uptake and detoxification of salicylic acid by *Vicia faba* and *Fagopyrum esculentum*	291	M. Schulz, H. Schnabl, B. Manthe, B. Schweihofen and I. Casser
Ecological Biochemistry		
Cyanoglucosides in the epidermis of *Hordeum vulgare*	295	H. Pourmohseni, W.-D. Ibenthal, R. Machinek, G. Remberg and V. Wray
Volatiles from litter and soil associated with *Ceratiola ericoides*	299	E. D. Jordan, T. C.-Y. Hsieh and N. H. Fischer
Enantiomeric composition of six chiral monoterpene hydrocarbons in different tissues of *Picea abies*	303	M. Persson, A.-K. Borg-Karlson and T. Norin
neo-Clerodane insect antifeedants from *Scutellaria galericulata*	309	B. Rodríguez, M. C. de la Torre, B. Rodríguez, M. Bruno, F. Piozzi, G. Savona, M. S. J. Simmonds, W. M. Blaney and A. Perales
Chemical defence by withanolides during fruit development in *Physalis peruviana*	317	T. W. Baumann and C. M. Meier
Interactive antifungal activity of the glycoalkaloids α-solanine and α-chaconine	323	A. M. Fewell and J. G. Roddick
Biosynthesis		
Radiolabelling studies of acyl lipids in developing seeds of *Brassica napus*: use of [1-^{14}C]acetate precursor	329	H. J. Perry and J. L. Harwood
Biosynthesis of gossypol in *Thespesia populnea*	335	A. Akhila and K. Rani
Ecdysteroid biosynthesis during the ontogeny of spinach leaves	341	R. J. Grebenok and J. H. Adler
Allylphenol biosynthesis in a transformed root culture of *Coreopsis tinctoria*: side-chain formation	349	K. H. Horz and J. Reichling
Cell Culture and Biotechnology		
Production of diterpenoids by cultured cells from two chemotypes of *Scoparia dulcis*	353	T. Hayashi, K. Okamura, M. Kawasaki and N. Morita
Effects of nutrients on anthocyanin production in cultured cells of *Aralia cordata*	357	K. Sakamoto, K. Iida, K. Sawamura, K. Hajiro, Y. Asada, T. Yoshikawa and T. Furuya
Chemotaxonomy		
Partial sequences of ribosomal RNA of Papilionaceae and related families	361	P. G. Martin and J. M. Dowd
Cyanogenesis of *Passiflora colinvauxii*, a species endemic to the Galápagos Islands	365	A. Adsersen, L. Brimer, C. E. Olsen and J. W. Jaroszewski
Fatty acids and polar lipids of seagrasses from the Sea of Japan	369	S. V. Khotimchenko
Fatty acids from some *Lavandula* hybrids growing spontaneously in north west Italy	373	M. Maffei and V. Peracino
Iridoid glucosides in Epacridaceae	377	S. Damtoft, S. R. Jensen and B. J. Nielsen
Comparative study on the strain-specific triterpenoid components of *Ganoderma lucidum*	379	M. Hirotani, C. Ino and T. Furuya
Pyrrolizidine alkaloids from *Cryptantha* species	383	F. R. Stermitz, M. A. Pass, R. B. Kelley and J. R. Liddell

Plant Chemistry

Butenolides from *Sinomenium acutum* 389 H. Otsuka, A. Ito, N. Fujioka, K.'I. Kawamata, R. Kasai, K. Yamasaki and T. Satoh

Heterocyst glycolipids of the cyanobacterium *Cyanospira rippkae* 393 A. Soriente, A. Gambacorta, A. Trincone, C. Sili, M. Vincenzini and G. Sodano

A secoiridoid glucoside from *Fraxinus insularis* 397 T. Tanahashi, A. Shimada, N. Nagakura, K. Inoue, H. Kuwajima, K. Takaishi and C.-C. Chen

Iridoid glucosides from *Veronica anagallis-aquatica* 401 M.-F. Lahloub, M. G. Zaghloul, M. S. Afifi and O. Sticher

Cytotoxic and antibacterial sesquiterpenes from *Inula graveolens* 407 G. Topçu, S. Öksüz, H.-L. Shieh, G. A. Cordell, J. M. Pezzuto and C. Bozok-Johansson

Orthosiphol D and E, minor diterpenes from *Orthosiphon stamineus* 411 Y. Takeda, T. Matsumoto, H. Terao, T. Shingu, Y. Futatsuishi, T. Nohara and T. Kajimoto

Serrulatane diterpenes from *Eremophila duttonii* 417 L. M. Tippett and R. A. Massy-Westropp

Dammarane triterpenes from *Cleome africana* 423 F. Tsichritzis, M. Abdel-Mogib and J. Jakupovic

Triterpenoid glycosides from *Decaisnea fargesii* 427 Jie Kong, Xing-Cong Li, Bi-Yu Wei and Chong-Ren Yang

Nortriterpenoid oligoglycosides from *Chionodoxa luciliae* 431 G. Barone, M. M. Corsaro, R. Lanzetta, L. Mangoni and M. Parrilli

Cucurbitanes and cucurbitane-type glycosides from *Ibervillea sonorae* 437 H. Achenbach, K. Horn, X. A. Dominguez, C. Rombold and E. G. Gómez López

The absolute configuration of kinoin C 447 E. Weckert, K. Hümmer, X. A. Dominguez, K. Horn and H. Achenbach

Bacoside A_1, a minor saponin from *Bacopa monniera* 449 P. Jain and D. K. Kulshreshtha

Saponins from *Zygophyllum propinquum* 453 V. U. Ahmad, Ghazala, S. Uddin and M. S. Ali

Re-investigation of cardenolides from fresh leaves of *Anodendron affine* 457 F. Abe and T. Yamauchi

Castelalin, a quassinoid from *Castela tortuosa* 461 I. Kubo, Y. Murai and S. K. Chaudhuri

Steroid glycosides from *Polygonatum prattii* 465 Xing-Cong Li, Chong-Ren Yang, H. Matsuura, R. Kasai and K. Yamasaki

Ergostanoids from *Petunia inflata* 471 C. A. Elliger, A. C. Waiss, Jr, M. Benson and R. Y. Wong

Brombyins from the stem bark of *Brombya platynema* 479 I. C. Parsons, A. I. Gray, T. G. Hartley and P. G. Waterman

Subellinone, a polyisoprenylated phloroglucinol derivative from *Garcinia subelliptica* 483 Y. Fukuyama, A. Kaneshi, N. Tani and M. Kodama

Amariin, a di-dehydrohexahydroxydiphenoyl hydrolysable tannin from *Phyllanthus amarus* 487 L. Y. Foo

Three flavone glycosides from *Gelonium multiflorum* 493 B. Das and A. K. Chakravarty

Cytotoxic alkaloids of *Annona montana* 497 Yang-Chang Wu, Gwo-Yuan Chang, Chang-Yih Duh and Shang-Kwei Wang

Short Reports

Two curcuminoid pigments from *Curcuma domestica* 501 R. Nakayama, Y. Tamura, H. Yamanaka, H. Kikuzaki and N. Nakatani

A sesquiterpene polyol ester from *Euonymus sachalinensis* 503 J. Hohmann, G. Nagy and G. Günther

Sterol constituents in seeds of *Ornithopus sativus* 506 J. Schmidt, B. Spengler, G. Adam and H. Budzikiewicz

1,3,5-tri-*O*-Caffeoylquinic acid from *Xanthium strumarium* 508 I. Agata, S. Goto, T. Hatano, S. Nishibe and T. Okuda

A cytotoxic flavanone glycoside from *Onychium japonicum*: structure of onychin 510 Yunlong Xu, Isao Kubo and Yunbao Ma

Two acylated flavonol glycosides from *Eucalyptus rostrata* 512 H. Okamura, A. Mimura, M. Niwano, Y. Takahara, H. Yasuda and H. Yoshida

A prenylated pterocarpan from *Mundulea striata* 515 F. Manjary, A. Petitjean, J.-Y. Conan, M. T. Martin, F. Frappier, P. Rasoanaivo and S. Ratsimamanga-Urverg

An aristolactam from *Piper acutisleginum* and revision of the structures of piperolactam B and D 518 C. E. Olsen, O. D. Tyagi, P. M. Boll, F. A. Hussaini, V. S. Parmar, N. K. Sharma, P. Taneja and S. C. Jain

Book Reviews

Ökologische Biochemie: edited by D. Schlee 521 M. Wink

Ten Years of Plant Molecular Biology: edited by R. Schilperoort and L. Dure 521 J. B. Harborne

Plant Polyphenols, Synthesis, Properties, Significance: edited by R. W. Hemingway and P. E. Laks 522 J. B. Harborne

Number 3

Announcements ix

Review Article Number 77

Lignans and neolignans from Piperaceae 523 S. Jensen, J. Hansen and P. M. Boll

Growth and Metabolism

Growth and nitrate reduction by *Sesamum indicum* cv PB-1 respond differentially to lead 531 N. Bharti and R. P. Singh

Identification of an ethanol-soluble protein as β-amylase and its purification from soybean seeds 535 Hongzu Ren, J. T. Madison and J. F. Thompson

Biochemical and physiological studies of soybean β-amylase 541 Hongzu Ren, J. F. Thompson and J. T. Madison

Carbohydrate, glycopeptide and protein components of the lichen *Sticta* sp. and effect of storage 547 M. de L. Corradi da Silva, M. Iacomini, E. Jablonski and P. A. J. Gorin

A growth inhibitor, *R*-(−)-3-hydroxy-β-ionone, from light-grown shoots of a dwarf cultivar of *Phaseolus vulgaris* 553 H. Kato-Noguchi, S. Kosemura, S. Yamamura and K. Hasegawa

Antioxidant activity of tannins and flavonoids in *Eucalyptus rostrata* 557 H. Okamura, A. Mimura, Y. Yakou, M. Niwano and Y. Takahara

Ecological Biochemistry
Superoxide radicals in intact tissues and in dimethyl sulphoxide-based extracts 563 T. J. Jacks and O. Hinojosa

Antimicrobial activity of cereal hydroxamic acids and related compounds 569 H. R. Bravo and W. Lazo

Biosynthesis
Metabolism of iridals in plant cell cultures of *Iris pallida* 573 F.-J. Marner, I. Ritzdorf and G. Johnen

Novel benzylic ether reductions in lignan biogenesis in *Forsythia intermedia* 581 T. Katayama, L. B. Davin, A. Chu and N. G. Lewis

Biosynthesis of serotonin and β-carboline alkaloids in hairy root cultures of *Peganum harmala* 593 J. Berlin, C. Rügenhagen, N. Greidziak, I. N. Kuzovkina, L. Witte and V. Wray

Cell Culture and Biotechnology
Regioselective hydroxylation of warfarin by cell suspension cultures of *Catharanthus roseus* 599 H. Hamada, Y. Fuchikami, R. L. Jansing and L. S. Kaminsky

Chemotaxonomy
Protein chemotaxonomy of genus *Datura:* identical amino acid sequence of ferredoxin from two varieties of *Datura stramonium* 601 Y. Mino, H. Usami, S. Inoue, K. Ikeda and N. Ota

Alkanes of foliar epicuticular waxes from five cycad genera in the Zamiaceae 607 R. Osborne, A. Salatino, M. L. F. Salatino, C. M. Sekiya and M. Vazquez Torres

Flavonoid aglycones and a dihydrostilbene from the frond exudate of *Notholaena nivea* 611 E. Wollenweber, M. Doerr, H. Waton and J. Favre-Bonvin

Plant Chemistry
Two antitumour bicyclic hexapeptides from *Rubia cordifolia* 613 K. Takeya, T. Yamamiya, H. Morita and H. Itokawa

Iridoid glucosides from *Linaria japonica* 617 H. Otsuka

6′-*O*-Benzoylshanzhiside methyl ester from *Rhinanthus angustifolius* subsp. *grandiflorus* 623 Y. Takeda, K. Tamura, T. Matsumoto, H. Terao, M. Tabata, T. Fujita, G. Honda, E. Sezik and E. Yesilada

Germacranolides from *Pseudoelephantopus spicatus* 627 C. Y. Ragasa, W. G. Padolina, T. Yamauchi, H. Otsuka, K. Yamasaki and T. Satoh

neo-Clerodane diterpenoids from roots of *Linaria saxatilis* var. *glutinosa* 631 A. San Feliciano, M. Gordaliza, J. M. Miguel Del Corral and M. L. De La Puente

C-16 Hydroxylated abietane diterpenes from *Salvia mellifera* 635 J. G. Luis and L. San Andrés

Preleoheterin and leoheterin, two labdane diterpenes from *Leonurus heterophyllus* 639 Po Ming Hon, En Si Wang, S. K. M. Lam, Yuen Ming Choy, Chi Ming Lee and H. N. C. Wong

Longirabdolactone and longirabdacetal, 6,7-*seco*-*ent*-kaurenoids from *Rabdosia longituba* 643 Y. Takeda, T. Ichihara, H. Otsuka and M. Kido

Two D:A-friedo-oleanane derivatives from *Euphorbia tortilis* 647 V. Anjaneyulu, J. Suresh Babu, B. Hari Babu, K. Ravi and J. D. Connolly

Intricatetraol, a halogenated triterpene alcohol from the red alga *Laurencia intricata* 651 M. Suzuki, Y. Matsuo, S. Takeda and T. Suzuki

Triterpenoid saponins from *Opilia celtidifolia*	657	F. Crespin, E. Olliver, C. Lavaud, A. Babadjamian, R. Faure, L. Debrauwer, G. Balansard and G. Boudon
Quinovic acid glycosides from *Zygophyllum album*	663	H. H. Hassanean, E. K. Desoky and M. M. A. El-Hamouly
14-Decarboxyquinovic and quinovic acid glycosides from *Zygophyllum album*	667	H. A. Hassanean, M. M. A. El-Hamouly, S. A. El-Moghazy and D. W. Bishay
Clemontanoside-C, a saponin from *Clematis montana*	671	R. P. Thapliyal and R. P. Bahuguna
Steroidal saponins from the bulbs of *Lilium regale* and *L. henryi*	675	Y. Mimaki, Y. Sashida, O. Nakamura, T. Nikaido and T. Ohmoto
Oligofurostanosides from *Asparagus curillus* leaves	683	S. C. Sharma and H. C. Sharma
Steroids from *Amalocalyx yunnanensis*	687	Xiao-Ling Shen, Ying-Jie Hu, Yin-Ling An and Quan Zhang Mu
Highly oxygenated quassinoids from *Eurycoma longifolia*	691	H. Morita, E. Kishi, K. Takeya, H. Itokawa and Y. Iitaka
Stereochemistry of 4-aryl-2-butanols from Himalayan *Taxus baccata*	697	B. Das, M. Takhi, H. M. Sampath Kumar, K. V. N. S. Srinivas and J. S. Yadav
Flavonoids and a benzofuran in roots of *Euchresta tubulosa*	701	N. Matsuura, M. Iinuma, T. Tanaka and M. Mizuno
Oxindole alkaloids from *Uncaria sinensis*	707	Hong-Mei Liu and Xiao-Zhang Feng
Short Reports		
Gouanic acid from the leaves of *Gouania microcarpa*	711	S. P. Nair and J. Madhusudana Rao
Chloranthalactone F, a sesquiterpenoid from the leaves of *Chloranthus glaber*	713	Y. Takeda, H. Yamashita, T. Matsumoto and H. Terao
Teupernin D, a *neo*-clerodane diterpenoid from *Teucrium pernyi*	716	Sun Di-An and Li Guang-Yi
Erythroxan diterpenes and flavonoids from *Fagonia bruguieri*	718	M. S. Abdel-Kader, A. A. Omar, N. A. Abdel-Salam and F. R. Stermitz
Sericeol, a cycloartane triterpene from *Neolitsea sericea*	721	M. C. Sharma, T. Ohira and M. Yatagai
A naphthoquinone from *Lawsonia inermis* stem bark	723	S. Gupta, M. Ali and M. S. Alam
Bibenzyls from crowberry leaves	725	F. J. Arriaga-Giner, E. Wollenweber and M. Dörr
Xanthones from *Garcinia forbesii*	727	L. J. Harrison, Lup-San Leong, Guat-Lee Sia, Keng-Yeow Sim and H. T.-W. Tan
3,6,8-Tri-*C*-xylosylapigenin from *Asplenium viviparum*	729	F. Imperato
A flavone glycoside from *Dalbergia stipulacea* leaves	731	P. Borai and R. Dayal
7,8,4′-Trihydroxy-3,3′-dimethoxyflavone from the heartwood of *Acacia nigrescens*	733	E. Malan
Jamtinine, an alkaloid from *Cocculus hirsutus*	735	V. U. Ahmad and S. Iqbal

Book Reviews
Regulation of Isopentenoid Metabolism, ACS Symposium Series 497: edited by W. D. Nes, E. J. Parish and J. M. Trzaskos — 737 — P. Hedden

Phenolic Compounds in Food and their Effects on Health: edited by C. T. Ho, C. Y. Lee and M. T. Huang — 737 — J. B. Harborne

Insect Chemical Ecology—an Evolutionary Approach: edited by B. D. Roitberg and M. B. Isman — 738 — G. Bergström

Murder, Magic and Medicine: by J. Mann — 738 — J. B. Harborne

Short Book Reviews — 740 — J. B. Harborne

Number 4

Announcement — ix

Review Article Number 78
Biochemical basis for the resistance of barley to aphids — 741 — L. J. Corcuera

Growth and Metabolism
The waxy (Wx) proteins of maize, rice and barley — 749 — T. Nakamura, M. Yamamori, H. Hirano and S. Hidaka

An inhibitor of extensin peroxidase in cultured tomato cells — 755 — M. Brownleader, K. D. Golden and P. M. Dey

Peroxidase and phenoloxidase activities in mung bean hypocotyl cell walls — 759 — A. Chabanet, A. M. Catesson and R. Goldberg

Solubilization of wall-bound peroxidases by limited proteolysis — 765 — G. J. McDougall

Purification and characterization of the quinate: oxidoreductase from *Phaseolus mungo* sprouts — 769 — Xiangbo Kang and R. Scheibe

Diurnal variation of cyanogenic glucosides, thiocyanate and rhodanese in cassava — 775 — P. N. Okolie and B. N. Obasi

Structure-dependent phytotoxicity of fumonisins and related compounds in a duckweed bioassay — 779 — T. Tanaka, H. K. Abbas and S. O. Duke

Evidence for the metabolism of capsidiol by a cytochrome P-450-dependent enzyme — 787 — I. Saimmaime and P. J. Coulomb

Light-induced isomerization and dimerization of cinnamic acid derivatives in cell walls — 791 — L. B. Turner, I. Mueller-Harvey and A. B. McAllan

Ecological Biochemistry
Sequences of acidic and basic elicitin isoforms secreted by *Phytophthora megasperma megasperma* — 797 — J.-C. Huet and J.-C. Pernollet

A phenolic amide from roots of *Chenopodium album* — 807 — T. Horio, K. Yoshida, H. Kikuchi, J. Kawabata and J. Mizutani

Xanthones from *Polygala nyikensis* — 809 — A. Marston, M. Hamburger, I. Sordat-Diserens, J. D. Msonthi and K. Hostettmann

Anti-leukaemic compounds derived from stilbenes in *Picea abies* bark — 813 — E. Mannila, A. Talvitie and E. Kolehmainen

Cell Culture and Biotechnology
Glucosylation of thiocolchicine by a cell suspension culture of *Centella asiatica* — 817 — J.-M. Solet, F. Bister-Miel, H. Galons, R. Spagnoli, J.-L. Guignard and L. Cosson

Immunodetection of artemisinin in *Artemisia annua* cultivated in hydroponic conditions — 821 — M. Jaziri, B. Diallo, M. Vanhaelen, J. Homès, K. Yoshimatsu and K. Shimomura

Microbial transformation of diterpenes: hydroxylation of 17-acetoxy-kolavenol acetate by *Mucor plumbeus* 827 J. J. Hoffmann and B. M. Fraga

The biotransformation of some steroids by *Cephalosporium aphidicola* 831 J. R. Hanson and H. Nasir

Biotransformation of the sesquiterpenoid, cedrol, by *Cephalosporium aphidicola* 835 J. R. Hanson and H. Nasir

Xanthones in cell suspension cultures of *Hypericum paturum* 839 K. Ishiguro, H. Fukumoto, M. Nakajima and K. Isoi

Flavonol glycosides production in cell suspension cultures of *Vancouveria hexandra* 841 H. Yamamoto, Kuang Yan, K. Ieda, T. Tanaka, M. Iinuma and M. Mizuno

Chemotaxonomy

4-Hydroxymandelonitrile glucosides, dhurrin in *Suckleya suckleyana* and taxiphyllin in *Girgensohnia oppositiflora* (Chenopodiaceae) 847 A. Nahrstedt, M. Lechtenberg, A. Brinker, D. S. Seigler and R. Hegnauer

Epicuticular waxes of *Eceriferum* mutants of *Arabidopsis thaliana* 851 A. Hannoufa, J. McNevin and B. Lemieux

cis-Dihydroagarofuran from *Prostanthera* sp. aff. *ovalifolia* 857 I. A. Southwell and D. J. Tucker

Sesquiterpene esters and sesquiterpene coumarin ethers from *Ferula linkii*-TF 863 A. G. González, J. G. Díaz, L. A. López, E. Valencia, P. Pérez de Paz and J. Bermejo Barrera

Luteolin and 6-hydroxyluteolin glycosides from *Hebe stricta* 867 S. J. Kellam, K. A. Mitchell, J. W. Blunt, M. H. G. Munro and J. R. L. Walker

Exudate flavonoids from two Australian Asteraceae, *Bracteantha viscosa* and *Cassinia quinquefaria* 871 E. Wollenweber, K. Mann, F. J. Arriaga-Giner, J. N. Roitman and J. G. West

Plant Chemistry

Chlorinated thymol derivatives from *Inula crithmoides* 875 J. A. Marco, J. F. Sanz-Cervera and E. Manglano

Sesquiterpene alcohols from *Cryptomeria japonica* and *C. fortunei* leaf oil 879 S. Nagahama, M. Tazaki, H. Kobayashi and M. Sumimoto

Sesquiterpene lactones from *Laserpitium gallicum* 883 G. Appendino, G. Cravotto and G. M. Nano

Two neo-clerodane diterpenoids from *Ajuga macrosperma* 887 Xiaoyu Shen, A. Isogai, K. Furihata, Handong Sun and A. Suzuki

3-*epi*-Oleanene type triterpene glycosyl esters from leaves of *Acanthopanax spinosus* 891 M. Miyakoshi, Y. Ida, S. Isoda and J. Shoji

Pfaffane-type nortriterpenoids from *Pfaffia pulverulenta* 897 Y. Shiobara, S.-S. Inoue, K. Kato, Y. Nishiguchi, N. Nishimoto, F. de Oliveira, G. Akisue, M. K. Akisue and G. Hashimoto

Villosterol, 3β,5β-dihydroxy-20 pregnen-6-one, steroid from *Turraea villosa* 901 Y. G. Chiplunkar, B. A. Nagasampagi, S. S. Tavale and V. G. Puranik

Anthraquinone and naphthalene glycosides from *Rhamnus nakaharai* 905 Chun-Nan Lin and Bai-Luh Wei

Two 2′,4′,6′-trioxygenated flavanones from *Artocarpus heterophyllus* 909 Chai-Ming Lu and Chun-Nan Lin

A third spirobiflavonoid genkwanol C from *Daphne genkwa* 913 K. Baba, M. Taniguchi and M. Kozawa

Diglucuronoflavones from purple leaves of *Perilla ocimoides* 917 K. Yoshida, K. Kameda and T. Kondo

Absolute configuration of C-16 of eburnane alkaloids from *Kopsia larutensis* 921 Toh-Seok Kam, Poh-Suan Tan and Chen Wei

Steroidal alkaloids and an androstane derivative from the bark of *Holarrhena pubescens* 925 B. S. Siddiqui, S. B. Usmani, S. Begum and S. Siddiqui

Short Reports

An unusual lactophenone from a *Nocardia* species 929 W.-R. Abraham and H.-A. Arfmann

A neo-clerodane diterpenoid from *Scutellaria cypria* var. *elatior* 931 M. Bruno, M. C. de la Torre, F. Piozzi, B. Rodríguez, G. Savona and N. A. Arnold

Tectograndone, an anthraquinone–naphthoquinone pigment from the leaves of *Tectona grandis* 933 A. M. Aguinaldo, O. P. M. Ocampo, B. F. Bowden, A. I. Gray and P. G. Waterman

β,β-Dimethacrylophenones and a chromanone from *Nama hispidum* and *N. johnstonii* 936 J. N. Roitman and E. Wollenweber

An isoflavone noririsflorentin from *Belamcanda chinensis* 939 Won Sick Woo and Eun Hee Woo

Alkaloids from aerial parts of *Stephania longa* 941 Jing-Zhen Deng and Shou-Xun Zhao

Crabbine, an aporphine alkaloid from *Corydalis lutea* 943 Ming-he Yang, A. V. Patel, G. Blunden, C. H. Turner, M. J. O'Neill and J. A. Lewis

Steroidal alkaloids from *Fritillaria thunbergii* var. *chekiangensis* 946 Zhang Jianxing, Lao Aina and Xu Rensheng

Book Reviews

The Scent of Orchids: Olfactory and Chemical Investigations: by Roman Kaiser 949 J. B. Harborne

Pigment Microbiology: by P. Z. Margalith 949 J. B. Harborne

Biosynthesis and Manipulation of Plant Products: edited by D. Grierson 949 J. B. Harborne

Biotechnology in Agriculture and Forestry, Volume 20: High-Tech and Micropropagation: edited by Y. P. S. Bajaj 950 A. M. Mayer

Biosynthesis of the Major Crop Products: by P. John 950 P. J. Lea

Number 5

Obituary

Norman Bisset 1925–1993 ix J. D. Phillipson

Growth and Metabolism

Preparation of gibberellins A_{79} and A_{90} and their occurrence in mature wheat grain 951 M. Penny, C. L. Willis, P. Gaskin and J. R. Lenton

Formation of substituted truxillic and truxinic acids in plant cell walls—a rationale 957 A. B. Hanley, W. R. Russell and A. Chesson

Immunocytochemical analysis of proteolysis in germinating soybean 961 P. Diaz, K. A. Wilson and A. L. Tan-Wilson

Response in the inhibitor efficiency of substituted phenols on PS II activity in six mutants of the D1 protein subunit in *Chlamydomonas reinhardtii* 969 A. Trebst, U. Hilp and W. Draber

Purification and characterization of a tuber lectin from *Alocasia indica*	979	J. Singh, S. S. Kamboj, R. S. Sandhu, S. Shangary and K. K. Kamboj
Primary structures of concanavalin A-like lectins from seeds of two species of *Canavalia*	985	S. Fujimura, S. Terada, K. K. Jayavardhanan, K. R. Panikkar and E. Kimoto
Physicochemical properties of intermediary subunits of broad bean 11S globulin	989	B.-A. Zheng, Y. Matsumura and T. Mori
Purification and characterization of diamine oxidase from *Zea mays* shoots	995	Y. Suzuki and M. Hagiwara
Purification and characterization of pectin methylesterases from Mung bean hypocotyl cell walls	999	M. Bordenave and R. Goldberg
Protease D from the sarcocarp of honeydew melon fruit	1005	T. Uchikoba, T. Niidome, I. Sata and M. Kaneda
Polar lipid and fatty acid composition of some Bryophytes	1009	V. M. Dembitsky, T. Rezanka, I. A. Bychek and O. M. Afonina
Lipid composition of three macrophytes from the Caspian Sea	1015	V. M. Dembitsky, T. Rezanka and O. A. Rozentsvet
Acetylenic acids and lipid compositions of some mosses from Russia	1021	V. M. Dembitsky, T. Rezanka, I. A. Bychek and O. M. Afonina
Stearidonic and γ-linolenic acid contents of common borage leaves	1029	P. Sewón and E. Tyystjärvi
Accumulation and metabolism of the spermine alkaloid aphelandrine in roots of *Aphelandra tetragona*	1033	C. Werner, C. Hedberg, A. Lorenzi-Riatsch and M. Hesse
Ecological Biochemistry		
Phytochemical selection of aposematic insects	1037	M. Rothschild
A female gamete-characteristic (3*Z*, 6*Z*, 9*Z*)-dodecatrienoic acid from *Analipus japonicus*	1039	K. Kodama, K. Matsui, A. Hatanaka, M. Ishihara and T. Kajiwara
High levels of monofluoroacetate in *Dichapetalum braunii*	1043	D. O'Hagan, R. Perry, J. M. Lock, J. J. M. Meyer, L. Dasaradhi, J. T. G. Hamilton and D. B. Harper
A comparison of the flower volatiles from hawthorn and four raspberry cultivars	1047	G. W. Robertson, D. W. Griffiths, J. A. T. Woodford, A. N. E. Birch, J. A. Picket and L. J. Wadhams
Drimane-type sesquiterpenoids from *Cryptoporus volvatus* infected by *Paecilomyces varioti*	1055	H. Takahashi, M. Toyota and Y. Asakawa
A diterpene epoxide from the marine brown alga *Dictyota* sp.: possible vasopressin V1 receptor antagonist	1061	A. D. Patil, D. Berry, D. P. Brooks, M. E. Hemling, N. V. Kumar, M. P. Mitchell, E. H. Ohlstein and J. W. Westley
Biologically active acetogenins from stem bark of *Asimina triloba*	1065	G.-X. Zhao, M. J. Rieser, Y.-H. Hui, L. R. Miesbauer, D. L. Smith and J. L. McLaughlin
A benzofuran derivative released by Fe-deficient *Medicago sativa*	1075	H. Koshino, Y. Masaoka and A. Ichihara
Biosynthesis		
Variations in external and internal lipids associated with inhibition of the resistant biopolymer from the *A* race of *Botryococcus braunii*	1079	J. Templier, C. Largeau and E. Casadevall
Intermediates between 8-*epi*-deoxyloganic acid and 6,10-dideoxyaucubin in the biosynthesis of antirrhinoside	1087	S. Damtoft, S. R. Jensen and C. U. Jessen

Late stages in the biosynthesis of aucubin in *Scrophularia* 1089 S. Damtoft, S. R. Jensen, C. U. Jessen and T. B. Knudsen

Cell Culture and Biotechnology
Production in high-yield of a naphthoquinone by a hairy root culture of *Sesamum indicum* 1095 T. Ogasawara, K. Chiba and M. Tada

Chemotaxonomy
Protoanemonin in Australian *Clematis* 1099 I. A. Southwell and D. J. Tucker

Xylem resin composition and chemotaxonomy of three varieties of *Pinus caribaea* 1103 J. J. W. Coppen, C. Gay, D. J. James, J. M. Robinson and L. J. Mullin

Sesquiterpene lactones and flavonoids from *Artemisia ludoviciana* spp. *mexicana* 1113 A. Ruiz-Cancino, A. E. Cano and G. Delgado

Alkaloids from *Cephaelis dichroa* 1117 P. N. Solis, C. W. Wright, M. P. Gupta and J. D. Phillipson

Plant Chemistry
Thermal isomerization of *N*-oxalyl derivatives of diamino acids 1121 B. M. Abegaz, P. B. Nunn, A. De Bruyn and F. Lambein

n-Heptacosatrienes and tetraenes from a Bolivian strain of *Botryococcus braunii* 1125 P. Metzger

Long chain aliphatic alcohols and saturated carboxylic acids from heartwood of *Rhizophora apiculata* 1129 U. Kokpol, W. Chavasiri, V. Chittawong, M. Bruce, G. N. Cunningham and D. H. Miles

Aliphatic and aromatic glucosides from *Anoectochilus koshunensis* 1133 A. Ito, R. Kasai, K. Yamasaki and H. Sugimoto

Cucurbitacins with unusual side chains from *Picrorhiza kurroa* 1139 H. Stuppner and E. P. Müller

Fragrant sesquiterpenes from agarwood 1147 M. Ishihara, T. Tsuneya and K. Uneyama

Sesquiterpene lactones from *Tanacetum densum* subsp. *amani* 1157 N. Gören, A. Ulubelen, C. Bozok-Johansson and E. Tahtasakal

Bisabolenes, polycyclic diterpenoids and other constituents from the roots of *Iostephane heterophylla* 1161 M. I. Aguilar, G. Delgado, R. Bye and E. Linares

Further diterpene acids from *Juniperus thurifera* 1165 A. San Feliciano, J. M. Miguel del Corral, J. L. Lopez and B. de Pascual-Teresa

Diterpenes from leaves of *Juniperus chinensis* 1169 Jim-Min Fang, Ching-Kuo Lee and Yu-Shia Cheng

Diterpene malonates and other terpenes from *Nardia succulenta* and *N. scalaris* 1173 U. Langenbahn, G. Burkhardt and H. Becker

Kaurane diterpenoids from *Aster ageratoides* 1181 Dong-Liang Cheng, Xiao-Ping Cao, Han-Xun Wei and Lan He

Spiroterpenoids from *Hypericum reflexum* 1185 L. Cardona, J. R. Pedro, A. Serrano, M. C. Muñoz and X. Solans

Sterols from marine green alga *Codium decorticatum* 1189 V. U. Ahmad, R. Aliya, S. Perveen and M. Shameel

Minor steroidal glycosides from the roots of *Smilax lebrunii* 1193 Yong Ju and Zhong-Jian Jia

Saikosaponin derivatives from *Bupleurum wenchuanense*	1197	Si-Qi Luo, Long-Ze Lin and G. A. Cordell
But-2-enolides from *Pueraria lobata* and revised structures of puerosides A, B and sophoroside A	1207	T. Nohara, J. Kinjo, J. Furusawa, Y. Sakai, M. Inoue, Y. Shirataki, Y. Ishibashi (Nee Tagaya), I. Yokoe and M. Komatsu
Two phenylpropanoid glucosides from *Penstemon procerus*	1211	S. Ofterdinger-Daegel and P. Junior
Lignan and phenylpropanoid glycosides from *Osmanthus asiaticus*	1215	M. Sugiyama, E. Nagayama and M. Kikuchi
Diarylheptanoids from *Garuga pinnata*	1221	G. Venkatraman, A. K. Mishra, P. S. Thombare and B. K. Sabata
Elucidation of the multiple equilibria of malvin in aqueous solution by one- and two-dimensional NMR	1227	H. Santos, D. L. Turner, J. C. Lima, P. Figueiredo, F. S. Pina and A. L. Maçanita
(2*R*,3*R*)-Dihydroflavonol aglycone and glycosides from *Erica cinerea*	1233	B. Bennini, A. J. Chulia, M. Kaouadji and C. Delage
Two flavonol 3-[triacetylarabinosyl(1→6)glucosides] from *Calluna vulgaris*	1237	A. Simon, A. J. Chulia, M. Kaouadji, D. P. Allais and C. Delage
Five flavonoid compounds from *Echinosophora koreensis*	1241	M. Iinuma, M. Ohyama, T. Tanaka, M. Mizuno and S.-K. Hong
Spectral characters of a complex flavonoid isolated from the farinose exudate of *Pityrogramma calomelanos*	1247	M. Iinuma, T. Tanaka, F. Asai, K.-I. Miyauchi and E. Wollenweber
Three cissampareine-type bisbenzylisoquinoline alkaloids from *Cyclea* species	1249	Xian-Kai Wang, Tong-Fang Zhao, Sheng Lai, Y. Shizuri and S. Yamamura
Head-to-tail bisbenzylisoquinoline alkaloids from *Cyclea sutchuenensis*	1253	Xian-Kai Wang, Tong-Fang Zhao, Sheng Lai, Y. Shizuri and S. Yamamura
Apodihydrocinchonamine, an indole alkaloid from *Isertia haenkeana*	1257	M. Bruix, A. Rumbero and P. Vázquez
Cyclopeptide alkaloids from *Antidesma montana*	1263	D. Arbain and W. C. Taylor
Short Reports		
A guaianolide diol monoacetate from *Centaurea behen* and *C. solstitialis* ssp. *schouwii*	1267	S. Öksüz, R. J. Clark and W. Herz
A bis-*nor*-diterpene from *Vellozia variabilis*	1269	A. C. Pinto, L. C. Brito, J. Zukerman-Schpector and R. de A. Epifanio
Kurzilactone from *Cryptocarya kurzii*	1272	X. Fu, T. Sévenet, A. Hamid, A. Hadi, F. Remy and M. Païs
6-Hydroxykaempferol 7-(6″-caffeoylglucoside) from *Eupatorium glandulosum*	1275	A. G. R. Nair, R. Jayaprakasam, R. Gunasekaran, C. Bayet and B. Voirin
Book Reviews		
Metabolism, Structure and Utilisation of Plant Lipids: edited by A. Cherif, D. Ben Miled-Daoud, B. Marzouk, A. Smaoui and M. Zarrouk	1277	G. P. Bolwell
Phytochemical Resources for Medicine and Agriculture: edited by H. N. Nigg and D. Seigler	1277	J. B. Harborne
Plant Disease Control: Towards Environmentally Acceptable Methods: by R. N. Strange	1278	J. B. Harborne
Short Book Reviews	1279	J. B. Harborne

Number 6

Announcement	ix	
Review Article Number 79		
Plant polyamines in flowering and fruit ripening	1281	R. K. Kakkar and V. K. Rai
Growth and Metabolism		
Spatial distribution of protein accumulation in soybean seed	1289	Wei Tang, P. Diaz, K. A. Wilson and A. L. Tan-Wilson
Hydrogen peroxide generation in organelles of *Euglena gracilis*	1297	T. Ishikawa, T. Takeda, S. Shigeoka, O. Hirayama and T. Mitsunaga
Oligosaccharides released by pectinase treatment of *Citrus limon* seedlings are elicitors of the plant response	1301	A. Roco, P. Castañeda and L. M. Pérez
Isoenzymes of phosphogluconate dehydrogenase (decarboxylating) from suspension-cultured *Catharanthus roseus* cells	1307	S. Ishida and H. Ashihara
Dependence of activity of cucurbitacin in repression of *Botrytis* laccase on its structure	1313	A. Viterbo, B. Yagen, R. Rosenthal and A. M. Mayer
Specificity and molecular properties of penicillolysin, a metalloproteinase from *Penicillium citrinum*	1317	M. Yamaguchi, S. Hanzawa, K.-I. Hirano, Y. Yamagata and E. Ichishima
Proteases from cell suspension cultures of *Cynara cardunculus*	1323	M. Cordeiro, Zhong-Tian Xue, M. S. Pais and P. E. Brodelius
A β-D-fucosidase from *Asclepias curassavica* latex	1327	R. Giordani and L. Lafon
Phosphoenolpyruvate carboxylase in avocado fruit: purification and properties	1333	B. A. Notton and M. M. Blanke
Proline accumulation in wheat seedlings exposed to zinc and copper	1339	R. Bassi and S. S. Sharma
Purification and structure of xyloglucan in pine hypocotyls	1343	J. L. Acebes, R. Moral and I. Zarra
Xylose transfer to lipids by membranes of carrot cell suspensions	1347	L. A. Quesada-Allué, K. Hagelin and F. LoSchiavo
Medium chain acyl-ACP hydrolysis activities of developing oilseeds	1353	H. M. Davies
Inhibition of γ-irradiation-induced oxidation of chlorogenate by 1,3-dicaffeoylquinate in *Xanthium occidentale*	1357	M. Satô, A. Hiraoka and M. Watanabe
Metabolism of castasterone and brassinolide in mung bean explant	1361	H. Suzuki, Seong-Ki Kim, N. Takahashi and T. Yokota
Isolation and identification of flavonoids from Ri T-DNA-transformed roots (*Daucus carota*) and their significance in vesicular-arbuscular mycorrhiza	1369	R. Bel Rhlid, S. Chabot, Y. Piché and R. Chênevert
Ecological Biochemistry		
Geranyl 6-*O*-β-D-xylopyranosyl-β-D-glucopyranoside isolated as an aroma precursor from tea leaves for oolong tea	1373	Wenfei Guo, K. Sakata, N. Watanabe, R. Nakajima, A. Yagi, K. Ina and Shaojun Luo
Oleanolic acid content in *Baccharis linearis* and its effects on *Heliothis zea* larvae	1377	V. H. Argandoña and F. A. Faini
Sterols and phytyl esters of *Arabidopsis thaliana* under normal and chilling temperatures	1381	G. W. Patterson, S. Hugly and D. Harrison
Antifeedant activity of cucurbitacins from *Iberis amara* against larvae of *Pieris rapae*	1385	K. Sachdev-Gupta, C. D. Radke and J. A. A. Renwick
Toxicity and antifeedant activity of lichen compounds against the polyphagous herbivorous insect *Spodoptera littoralis*	1389	R. Emmerich, I. Giez, O. L. Lange and P. Proksch

Endogenous pine wood nematicidal substances in pines, *Pinus massoniana*, *P. strobus* and *P. palustris*	1395	T. Suga, S. Ohta, K. Munesada, N. Ide, M. Kurokawa, M. Shimizu and E. Ohta
Biosynthesis		
Biosynthesis of destruxins	1403	A. Jegorov, P. Sedmera and V. Maťha
Biosynthesis of bryonolic acid in cultured cells of watermelon	1407	H. J. Cho, M. Ito, S. Tanaka, W. Kamisako and M. Tabata
Acetyl-coenzyme A: anthocyanidin 3-glucoside acetyltransferase from flowers of *Zinnia elegans*	1415	I. Ino and M.-A. Yamaguchi
Flavonoid biosynthesis in petals of *Rhododendron simsii*	1419	L. De Cooman, E. S. W. Everaert, P. Faché, K. Vande Casteele and C. F. Van Sumere
Purine metabolism and the biosynthesis of caffeine in maté leaves	1427	H. Ashihara
Metabolism of (*S*)-reticuline in an alkaloid non-producing cell culture strain of *Thalictrum tuberosum*	1431	B. Schneider and M. H. Zenk
Biosynthetic incorporation of ethyl (*RS*) [2,3-$^{13}C_2$,3-^{14}C]-4-(1-methyl-2-pyrrolidinyl)-3-oxobutanoate into cuscohygrine in *Erythroxylum coca*	1437	M. L. Newquist, T. W. Abraham and E. Leete
Chemotaxonomy		
Polyunsaturated and unusual fatty acids from slime moulds	1441	T. Řezanka
Terpenoids from some German and Russian liverworts	1445	F. Nagashima, Y. Ohi, T. Nagai, M. Tori, Y. Asakawa and S. Huneck
Flavonoids from *Pyracantha coccinea* roots	1449	A. R. Bilia, S. Catalano, L. Pistelli and I. Morelli
Plant Chemistry		
Secoiridoids from *Fraxinus angustifolia*	1453	İ. Çalış, M. Hosny, T. Khalifa and S. Nishibe
Eudesmane and elemane derivatives from *Onopordon acaulon*	1457	L. Cardona, A. Bardon, B. García and J. R. Pedro
bisnor-Cadinanes from *Artemisia annua* and definitive ^{13}C NMR assignments of β-arteether	1461	L. N. Misra, A. Ahmad, R. S. Thakur and J. Jakupovic
Rigidol, an unusual diterpene from *Sapium rigidifolium*	1465	K. Siems, J. Jakupovic, V. Castro and L. Poveda
Triterpenoid glycosides from *Stauntonia hexaphylla*	1469	Huai-Bin Wang, R. Mayer and G. Rücker
Triterpenes and triterpene glycosides from the leaves of *Ilex rotunda*	1475	K. Amimoto, K. Yoshikawa and S. Arihara
Stilbenoids from *Bletilla striata*	1481	Li Bai, T. Kato, K. Inoue, M. Yamaki and S. Takagi
The condensed tannins of *Leptarrhena pyrolifolia*	1485	M. R. Koupai-Abyazani and B. A. Bohm
Phenolics from needles of Himalayan *Taxus baccata*	1489	B. Das, M. Takhi, K. V. N. S. Srinivas and J. S. Yadav
Olinioside, 5-(4′-*O*-β-D-glucopyranosyl)-caffeoyloxy-5,6-dihydro-4-methyl-(2H)-pyran-2-one from *Olinia usambarensis*	1493	E. Nyandat, E. Rwekika, C. Galeffi, G. Palazzino and M. Nicoletti
Blespirol, a phenanthrene with a spirolactone ring from *Bletilla striata*	1497	M. Yamaki, Li Bai, T. Kato, K. Inoue, S. Takagi, Y. Yamagata and K. Tomita

Megastigmanes and flavonoids from the leaves of *Scorodocarpus borneensis*	1499	F. Abe and T. Yamauchi
8-Methoxykaempferol 3-neohesperidoside and other flavonoids from bee pollen of *Crataegus monogyna*	1503	J.-C. Dauguet, M. Bert, J. Dolley, A. Bekaert and G. Lewin
Quinolone and acridone alkaloids from *Boronia lanceolata*	1507	M. Ahsan, A. I. Gray, G. Leach and P. G. Waterman
Ancistrobrevine C from *Ancistrocladus abbreviatus*: the first mixed 'Ancistrocladaceae/Dioncophyllaceae-type' naphthylisoquinoline alkaloid	1511	G. Bringmann, F. Pokorny, M. Stäblein, M. Schäffer and L. Aké Assi
Pyrrolizidine alkaloids from *Senecio chrysocoma*	1517	M. R. Grue and J. R. Liddell
Pseudoalkaloid taxanes from *Taxus baccata*	1521	G. Appendino, H. C. Özen, I. Fenoglio, P. Gariboldi, B. Gabetta and E. Bombardelli
Betacyanins from fruits of *Basella rubra*	1525	W. E. Gläßgen, J. W. Metzger, S. Heuer and D. Strack
Short Reports		
Stereospecific synthesis and absolute configuration of (+)-rhododendrol	1529	B. Das, S. P. Rao, K. V. N. S. Srinivas and J. S. Yadav
Secoiridoid dilactones from *Fraxinus uhdei*	1531	Ya-Ching Shen, Chung-Hsiung Chen and Kuo-Hsiung Lee
Utilin B, a tetranortriterpenoid of the mexicanolide group from bark of *Entandrophragma utile*	1534	W. M. Daniewski, M. Gumułka, W. Danikiewicz, P. Gluziński, J. Krajewski, E. Pankowska, E. Błoszyk, U. Jacobsson, T. Norin and F. Szafranski
Triterpenoid saponins and flavonoid glycosides from *Bupleurum falcatum* subsp. *cernuum*	1537	L. Pistelli, A. Cammilli, A. Manunta, A. Marsili and I. Morelli
Anthraquinones of *Galium spurium*	1540	J. Koyama, T. Ogura and K. Tagahara
Dihydropyranocoumarins from *Peucedanum japonicum*	1543	Y. Ikeshiro, I. Mase and Y. Tomita
A *Cercospora* isolate from soybean roots produces cebetin B and cercosporin	1546	D. J. Robeson and M. A. F. Jalal
A flavonol triglycoside from *Baccharis thesioides*	1549	Yong-Long Liu, B. N. Timmermann, J. J. Hoffmann and S. P. McLaughlin
Errata and Corrigenda	1553	

Reproduced with the permission of Pergamon Press Inc., by University Microfilms Inc. Duplication or resale without permission is prohibited.